



Quality hot water is on tap 24/7 with the FilterFlow range of water boilers.

Easy to use and cheap to run, the reliable FilterFlow range of water boilers offer high output from a minimal footprint.

Whatever your output requirements, you'll find a boiler to cater to your needs. FilterFlow boilers are connected to the main water supply, meaning there's always a steady supply of piping hot water.

Do your employees have to wait in a queue to make a cup of tea at break times? Do you sometimes struggle to deal with a rush of customers asking for teas and coffees all at once? With FilterFlow, these scenarios cease to be a problem.

Ideally suited for...

FilterFlow boilers can provide solutions for a variety of applications where a steady flow of high quality hot water is a must. Places such as:



Offices and staff rooms

Break times can be busy times in offices. Especially when everyone wants a cup of tea at the same time. The FilterFlow water boilers efficiently provide hot water on tap, making the whole process much quicker.



Cafés

Do you often get that moment when there's a rush of customers descending on your café at the same time, all in the mood for a relaxing cup of tea or coffee? Serve them quickly and efficiently with the FilterFlow water boiler range.

A reliable supply of quality filtered hot water whenever you need it. There's no need to wait with the FilterFlow range.

Benefits at a glance

- High quality boiling water 24/7
- High output from narrow footprint
- Easy to use
- Cheap to run
- Connected to the mains water supply

Find your new water boiler

With our chart, it's easy to identify the right new boiler to match your needs.

FX Counter Top Automatic Fill Water Boilers

MODEL	EB3FX	EB3FX/PB	EB3FX/WAVE	EB3FX/HC/PB	EB3FX/TT	EB3FX/TALL	EB4FX	EB6FX	EB6TFX
PAGE	L91	L91	L90	L92	L91	L92	L91	L91	L91
Feature	The original Lincat boiler with touchscreen control - variable temp. ECO mode, descale sensor, descale programme and on/off timer	Push button operation ideal for front of house applications	Covid secure, fully touch free operation	Where hot and chilled water is required	Twin taps for twin temperature output, for more than one operator at a time	For operators who only have a three pin plug socket but who experience a high influx of customers in bursts, such as garden centres and farm shops who welcome coach and leisure venues and stadia with intermissions	For high volume requirements	For higher volume requirements	For higher volume requirements with more than one operator at a time
Rapid draw off cups	55	55	55	25 HOT & 60 COLD	45	85	55	90	90
Rapid draw off litres	11	11	11	5 HOT & 12 COLD	2 x 4.5	17	11	18	18
Hourly output cups	155	155	155	140 HOT & 60 COLD	125	155	225	300	300
Hourly output litres	31	31	31	28 HOT & 12 COLD	25	31	45	60	60
Outlet	Tap	Push Button	Wave	Push Button	Twin Tap	Tap	Tap	Tap	Twin Tap
Power Supply									
Installation	UK 13A Plug	UK 13A Plug	UK 13A Plug	UK 13A Plug	UK 13A Plug	UK 13A Plug	1 phase	1 phase	1 phase
Total Power kW	3	3	3	3	3	3	4.5	6	6
Dimensions									
H x W x D mm	596 x 250 x 525	596 x 250 x 525	596 x 250 x 525	596 x 250 x 525	596 x 250 x 525	685 x 250 x 525	596 x 250 x 525	685 x 250 x 525	685 x 250 x 525

Wall Mounted Automatic Fill Water Boilers

MODEL	M3F	WMB3F	M5F	WMB5F	WMB5FX/PB	M7F	WMB7F	M10F
PAGE	L94	L93	L94	L93	L93	L94	L93	L94
Feature	A robust, British-engineered quality water boiler for where high performance is required on a three pin plug and at a competitive price.	With a sleek glass finish, these boilers are ideal for front of house, office kitchens or staff rooms.	A robust, British-engineered quality water boiler for where high performance is required on a three pin plug and at a competitive price.	With a sleek glass finish, these boilers are ideal for front of house, office kitchens or staff rooms.	The WMB5FX/PB offers the benefits of the FX's improved performance, greater efficiencies and convenient touch screen operation in a sleek glass wall mounted design.	A robust, British-engineered quality water boiler for where high performance and higher volume output is required on a 3 pin plug and at a competitive price.	With a sleek glass finish, these boilers are ideal for front of house, larger office kitchens or staff rooms.	A robust, British-engineered quality water boiler for where high performance and higher volume output is required on a 3 pin plug and at a competitive price.
Rapid draw off cups	18	18	28	28	28	38	38	50
Rapid draw off litres	3.5	3.5	5.5	5.5	5.5	7.5	7.5	10
Hourly output cups	140	140	140	140	156	140	140	140
Hourly output litres	28	28	28	28	28	28	28	28
Outlet	Tap	Tap	Tap	Tap	Push Button	Tap	Tap	Tap
Power Supply	UK 13A Plug	1 phase	UK 13A Plug	1 phase	1 phase	UK 13A Plug	1 phase	UK 13A Plug
Total Power kW	3	3	3	3	2.5	3	3	3
Dimensions								
H x W x D mm	398 x 300 x 203	413 x 300 x 184	448 x 340 x 203	462 x 340 x 184	464 x 353 x 218	563 x 340 x 203	462 x 340 x 224	580 x 340 x 296

Manual Fill Water Boilers

MODEL	LWB2	LWB4	LWB6
PAGE	L92	L92	L92
Feature	Convenient, portable access to piping hot water without the need for hardwiring or mains plumbing.		
Rapid draw off cups	45	90	135
Capacity litres	9	18	27
Heat up time	30 minutes	33 minutes	35 minutes
Outlet	Tap	Tap	Tap
Power Supply	UK 13A Plug	UK 13A Plug	UK 13A Plug
Total Power kW	3	3	3
Dimensions			
H x W x D mm	380 x 300 x 300	500 x 300 x 300	500 x 365 x 365

NEW!

The 'Zero Contact' Water Boiler Tap Adaptor

A simple low cost solution which will help to protect employees and visitors in the fight against Covid-19. Easily dispense water by pushing back a paddle with the back of a cup, removing all hand contact with the boiler.

- Removes hand contact with boiler – simply push back the paddle with your cup
- Reduces common touch points
- Adapter easily fits over the tap of all models in the EBFX series, and the legacy EB range
- No installation or tools required, simply slip the adaptor over the tap
- Hygienic stainless steel construction – easy to wipe clean
- Fits all Lincat FilterFlow FX Automatic Water Boilers with a tap, plus all legacy EB Automatic Water Boilers



EB Legacy



MODEL	PRICE £	PRICE €	DESCRIPTION
A EBHF01	£82	€95	Hands free water boiler tap adaptor

NEW!



We are all so aware of potential cross infection and avoiding common touch points, such as taps, are a challenge most of us now face on a daily basis. Any building which has a number of people using its facilities needs a safe and reliable source of hot water for drinks.



Automatic Fill 'Wave' Water Boiler

Dispense water with just the wave of your hand. The FilterFlow Automatic Fill Electric Wave Water Boiler with a built in smart sensor enables fully automatic and touch-free operation to avoid cross infection.

- Ideal for front of house and self service
- Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy



FilterFlow automatic fill wave water boiler						
MODEL	PRICE £	PRICE €	H	W	D	POWER WT
EB3FX/WAVE	£931	€1071	596	250	526	3kW 18
Rapid draw off (hot)				11 litres		55 cups
Output per hour (hot)				31 litres		155 cups

MODEL	PRICE £	PRICE €	DESCRIPTION
A BR55	£65	€75	Wall mounting kit
C DP10	£16	€19	Descaler powder
C FC04	£49	€57	Replacement filter

2

YEAR

UK parts and labour warranty

Export parts warranty

on all Lincat products



FilterFlow Automatic Water Boilers (Tap Dispense)



- High quality boiling water on tap 24 hours a day
- Built-in water filtration system
- High volume, easy change FilterFlow cartridge
- Large, colour touchscreen display
- Narrow 250mm footprint
- Eco setting reduces the volume of boiling water by 50%
- Intelligent predictive eco setting learns usage patterns and adjusts water volume
- 7-day timer
- Adjustable water temperature from 70°C - 98°C
- Enhanced diagnostics
- Self descale programme to reduce the build-up of scale
- Twin tap version - ideal for the busiest periods



FilterFlow automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
EB3FX	£683	€786	596	250	525	3kW	16
Rapid draw off			11 litres		55 cups		
Output per hour			31 litres		155 cups		

FilterFlow automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
*EB4FX	£826	€950	596	250	525	4.5kW	15
Rapid draw off			11 litres		55 cups		
Output per hour			45 litres		155 cups		

FilterFlow automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
*EB6FX	£893	€1027	685	250	525	6kW	19
Rapid draw off			18 litres		90 cups		
Output per hour			60 litres		300 cups		

FilterFlow automatic water boiler (twin tap)							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
*EB6TFX	£965	€1110	685	250	525	6kW	19
Rapid draw off			18 litres		90 cups		
Output per hour			60 litres		300 cups		

MODEL	PRICE £	PRICE €	DESCRIPTION
A BR55	£65	€75	For models EB3FX and EB4FX
A BR56	£71	€82	For models EB6FX and EB6TFX
C FC04	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder

FilterFlow Automatic Water Boiler (Push-Button)

- Convenient push button operation
- Ideal for front of house and self service operations
- Lockable mode prevents water being dispensed without the input of a PIN code - perfect for schools, prisons, care homes and settings with vulnerable individuals
- Plus all the features of the EB3FX

FilterFlow large capacity automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
EB3FX/PB	£861	€991	596	250	525	3kW	18
Rapid draw off			11 litres		55 cups		
Output per hour			31 litres		155 cups		

MODEL	PRICE £	PRICE €	DESCRIPTION
A BR55	£65	€75	Wall mounting kit
C FC04	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder



FilterFlow Twin Temperature Automatic Water Boiler (Tap Dispense)

- Tanks can be set to different temperatures - ideal for brewing black teas at 98°C and green teas at 71°C
- High quality boiling water on tap 24 hours a day
- Large colour touchscreen display
- Built-in water filtration system improves water quality and reduces scale build-up
- High volume, easy change FilterFlow cartridge
- Narrow 250mm footprint
- 7-day timer
- Adjustable water temperature - from 70°C - 98°C, ideal for all types of beverage
- Enhanced diagnostics
- Self descale programme to reduce the build-up of scale

FilterFlow large capacity automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
EB3FX/TT	£975	€1122	596	250	525	3kW	20
Rapid draw off			2 x 4.5 litres		45 cups		
Output per hour			25 litres		125 cups		

MODEL	PRICE £	PRICE €	DESCRIPTION
A BR55	£65	€75	Wall mounting kit
C FC04	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder





FilterFlow Automatic Water Boiler and Chiller (Push-Button)

- Convenient push button operation, ideal for front of house and self service applications
- Filtered chilled and hot water on tap 24 hours a day
- Space saving and economic – no need for a separate boiler and chiller
- Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up
- High volume, easy change FilterFlow cartridge
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit



FilterFlow automatic water boiler (Hot & Cold)							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
EB3FX/HC/PB	£1790	€2059	596	250	570	3kW	32
Rapid draw off (hot)					5 litres		25 cups
Rapid draw off (cold)					12 litres		60 cups
Output per hour (hot)					28 litres		140 cups
Output per hour (cold)					12 litres		60 cups

2 YEAR

UK parts and labour warranty

Export parts warranty


on all Lincat products

	MODEL	PRICE £	PRICE €	DESCRIPTION
A	BR57	£66	€76	Wall mounting kit
C	FC04	£49	€57	Filter Cartridge
D	DP10	£16	€19	Descaler powder

HOT and CHILLED water from one unit

FilterFlow Automatic Water High Capacity Boiler (Tap Dispense)

- For high volume requirements, with rapid draw off of 17 litres
- Ideal for operators that experience a high influx of customers in a short space of time, such as sports stadia, leisure venues, garden centres and farm shops that welcome coach trips
- UK 3 pin plug, removing the need for hard wiring, which means operators can simply plug in and switch on
- All the other great features of our popular EB3FX



FilterFlow large capacity automatic water boiler							
MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
EB3FX/TALL	£850	€978	685	250	525	3kW	18.5
Rapid draw off (hot)					17 litres		85 cups
Output per hour (hot)					31 litres		155 cups

	MODEL	PRICE £	PRICE €	DESCRIPTION
C	FC04	£49	€57	Filter Cartridge
D	DP10	£16	€19	Descaler powder
S	BR56	£71	€82	Wall Bracket

2 YEAR

UK parts and labour warranty

Export parts warranty

on all Lincat products

Manual Fill Water Boilers

- Strong construction in mirror stainless steel
- Easy descaling and cleaning
- Simmerstat controlled
- Boil dry protection
- High quality non drip taps



Manual water boilers									
MODEL	PRICE £	PRICE €	H	W	D	CAPACITY	POWER	WT	
LWB2	£283	€326	402	300	300	9 litres (2 gallons)	3kW	7	
LWB4	£306	€352	522	300	300	18 litres (4 gallons)	3kW	9	
LWB6	£322	€371	522	365	365	27 litres (6 gallons)	3kW	13	

For output figures, please see page L88

* Please refer to pages L104 to L105 for electricity supply requirements


NEW!

Wall mounted, Automatic Water Boilers with tap dispense

Introducing the WMB5F (5 litre) and the WMB7F (7 litre) wall mounted automatic water boilers based on our popular 3 litre WMB3F. With a sleek glass finish available in black or white, these boilers are ideal for front of house, office kitchens or staff rooms.

- Exceptionally compact and perfect for locations with limited space
- High quality boiling water on tap 24 hours a day
- Built-in water filtration system improves water quality and reduces scale build-up
- Dispense temperature can be reduced to 70°C perfect for delicate specialty teas
- High volume, easy change FilterFlow cartridge
- Extra room underneath for larger cups, teapots, jugs and airpots to be filled
- Advanced diagnostics with LCD panel showing boiler status
- Cool-to-touch 6mm thick toughened glass fascia to withstand hard knocks
- Require hard wiring to the mains



WMB3F FilterFlow wall mounted automatic water boiler

MODEL	PRICE £	PRICE €	GLASS	H	W	D	POWER	WT
*WMB3F/B	£655	€754	Black	413	300	185	3kW	11
*WMB3F/W	£655	€754	White	413	300	185	3kW	11
Rapid draw off					3.5 litres			18 cups
Output per hour					28 litres			140 cups

Accessories

MODEL	PRICE £	PRICE €	DESCRIPTION
C FC02	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder
S DR72	£167	€193	Drip tray for WMB3F & WMB5F

WMB5F FilterFlow wall mounted automatic water boiler

MODEL	PRICE £	PRICE €	GLASS	H	W	D	POWER	WT
*WMB5F/B	£706	€812	Black	462	340	184	3kW	11
*WMB5F/W	£706	€812	White	462	340	184	3kW	11
Rapid draw off					5.5 litres			28 cups
Output per hour					28 litres			140 cups

WMB7F FilterFlow wall mounted automatic water boiler

MODEL	PRICE £	PRICE €	GLASS	H	W	D	POWER	WT
*WMB7F/B	£758	€872	Black	462	340	224	3kW	12
*WMB7F/W	£758	€872	White	462	340	224	3kW	12
Rapid draw off					7.5 litres			38 cups
Output per hour					28 litres			140 cups

Accessories

MODEL	PRICE £	PRICE €	DESCRIPTION
C FC02	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder
S DR98	£180	€207	Drip tray for WMB7F

Wall Mounted Automatic Boiler with Touch Screen Control and Push Button Dispense

Based on our popular FX Counter Top Automatic Fill Water Boiler series, the WMB5FX/PB offers the benefits of the FX's improved performance, greater efficiencies and convenient touch screen operation in a sleek glass wall mounted design.

- Ideal for self-service and front of house applications
- Easily operated from a large, colour touch-screen display
- High quality boiling water on tap 24 hours a day
- Built-in water filtration system improves water quality and reduces scale build up
- High volume, easy change FilterFlow cartridge
- Adjustable water temperature from 70°C- 98°C, ideal for all types of beverage
- Precise electronic temperature control system
- Enhanced multi-level diagnostics
- Easy to clean toughened glass fascia
- Boiler operation can be timed to switch off overnight

NEW!


WMB5FX/PB Wall Mounted Automatic Boiler with Touch Screen Control and Push Button Dispense

MODEL	PRICE £	PRICE €	H	W	D	POWER	WT
WMB5FX/PB/B	£995	€1145	464	353	218	2.8kW	14
Rapid draw off					5.5 litres		28 cups
Output per hour					28 litres		156 cups

Accessories

MODEL	PRICE £	PRICE €	DESCRIPTION
C FC04	£49	€57	Filter Cartridge
C DP10	£16	€19	Descaler powder
S DR97	£180	€207	Drip tray

BACK BY
POPULAR
DEMAND!



Wall Mounted Automatic Water Boilers

The M3F, M5F, M7F and M10F provide a **robust, quality water boiler** with a range of features at a **competitive price!**

- Available in 3, 5.5, 8 and 10-litre sizes
- Connected to mains water supply to deliver instant, continuous, high-quality boiling water
- Wall mounted, compact design
- Easy installation – UK 3 pin plug and three screws
- Built-in water filtration system, complete with FilterFlow's popular high-volume easy to change cartridge
- Adjustable water temperature from 70°C – 96°C
- Precise electronic temperature control system
- LCD information panel
- Enhanced multi-level diagnostics
- Easy clean stainless steel finish



Automatic fill wall mounted water boilers									
MODEL	PRICE £	PRICE €	H	W	D	RAPID DRAW OFF	OUTPUT PER HOUR	POWER	WT
M3F	£527	€607	398	300	269	3.5L / 18 cups	28L / 140 cups	3kW	12
M5F	£536	€617	448	340	269	5.5L / 28 cups	28L / 140 cups	3kW	13
M7F	£571	€657	563	340	269	8L / 38 cups	28L / 140 cups	3kW	15
M10F	£699	€804	580	340	296	10L / 50 cups	28L / 140 cups	3kW	15

MODEL	PRICE £	PRICE €	DESCRIPTION
FC04	£49	€57	Filter Cartridge
DP10	£16	€19	Descaler powder
DR94	£180	€207	Drip tray - M3F
DR95	£180	€207	Drip tray - M5F and M7F
DR96	£180	€207	Drip tray - M10F

2
YEAR

UK parts and labour warranty

Export parts warranty

on all Lincat products